


Summary of Identified Zones

On Strike Minerals Edwards Property

| ZONE | LENGTH | DEPTH | | AU/FT.-OZS.* |
|--------------|--------|-------|------|--------------|
| New North I | 300' | 820' | open | 1.11 |
| New North II | 500' | 1140' | open | 2.25 |
| Plowman #1 | 350' | 360' | open | 0.80 |
| Plowman #2 | 400' | 650' | open | 0.81 |
| Plowman #3 | 360' | 280' | open | 0.88 |

*FT.-OZS. - Value of gold in oz/ton x length of intersection in feet



Porphyry, Carbonate and Shaynee Zones

144,000 Ounces mined to 281 meters

- Last sill drift on Porphyry ran 10.03 gpt over 1.5 m for 59.8 m.
- Last sill drift on Carvonate ran 17.33 gpt over 1.5 m for 80.0 m.


Schematic showing zones identified to date on the Strike Minerals Edwards Property



SCALE: 1" to 400' approx.


Summary of Identified Zones

On the Strike Minerals Edwards Property




New North I Zone

- Strike length 300 feet (92 m), - 22 intersections
- Shallowest intercept -180 feet (55 m)
- Deepest intercept -820 feet (250m)
- open laterally and at depth
- 1.11 foot-ounces average (including all holes passing through the plane of the zone and NSV's)




New North II Zone

- Strike length 500 feet (152 m) - 26 intersections
- Shallowest intercept - 260 feet (79 m)
- Deepest intercept - 1,140 feet (348 m)
- open laterally and at depth
- 2.25 foot-ounces average (includes all holes passing through the plane of the zone and NSV's)




Plowman # 1 Zone

- Strike length 350 feet (107 m) - 12 intersections
- Shallowest intercept - 110 feet (34 m)
- Deepest intercept - 360 feet (110 m)
- open laterally and at depth to proposed Edwards/Cline Shear cut-off
- 0.80 foot-ounces average



Plowman # 2 Zone

- Strike length 400 feet (122 m) - 4 intersections
- Shallowest intercept - 130 feet (40 m)
- Deepest intercept - 650 feet (198 m)
- open laterally and at depth
- 0.81 foot-ounces average




Plowman # 3 Zone

- Strike length 360 feet (110 m), - 6 intersections
- Shallowest intercept - 40 feet (12 m)
- Deepest intercept - 280 feet (85 m)
- open laterally and at depth
- 0.88 foot-ounces average




Additional Areas of Interest

On the Strike Minerals Edwards Property





88-11 Zone

- Hole 88-11 returned 1.314 opt over 3.0 feet (45.0 gpt/0.9 m) at a vertical depth of -230 feet (70 m)
- located 1,300 feet (396 m) north of the Edwards/Cline Shear zone, along the northern portion of the North/South boundary of claim 490470 with the adjacent Cline Lake Property to the east.
- potential zone remains untested




Porphyry and Carbonate Zones

- mined by River gold to -920 feet (281 m)
- lowest sill drift on the Porphyry Zone assayed 0.293opt over 4.9 feet for 196 feet (10.03 gpt/1.5 m for 59.8 m)
- lowest sill drift on the Carbonate Zone assayed 0.506 opt over 5.0 feet for 262 feet (17.33 gpt/1.5 m for 80 m)
- U/G drilling by River Gold indicates 4 deepest holes on the Porphyry Zone returned an average of 0.81 foot-ounces from -1,100 to -1,250 feet (335 m to 381 m)
- the 6 deepest holes on the Carbonate Zone returned an average of 2.96 foot-ounces from -1,100 to -1225 feet (335 to 373 m)
- an in-house, non-43-101 compliant study by E. Kallio indicated a potential of 26,210 tonnes grading 5.08 gpt (cut to 50 gpt) in the first 20 meters below the current Porphyry and Carbonate sill drifts
- there may be potential for un-mined ore above the -281 meter level given that gold was mined at approximately \$300 to \$320 per ounce prior to the mine closure in 2001



"New Discovery" Zone

- located parallel to, and southwest of, the Shaynee zone in the southwest corner of the Property
- last hole drilled in this area intersected Visible Gold, no follow up work was ever done



"Rusty Weathered Zone"

- located north of the Edwards Zones and south of the Plowman #1 zone, intermittently from 1+75W (hole 38-88, 2.47 gpt/3.5 m and 2.75/2.6 m at -17 and -21 meters) to 5+00E (hole 07-2, 82.57 gpt/1.2 m at -111 meters)
- intersected in a number of holes designed to test other zones, but never delineated



Complete List of Historical Intersections for Identified Zones

On the Strike Minerals Edwards Property

New North I Zone

| Hole | Section | From (m) | To (m) | Length (m) | Au (gpt) | Vert. Depth (m) |
|--------|---------|--------------------|--------|------------|----------|-----------------|
| 4--88 | 1+35E | 135.7 | 138.1 | 2.4 | 5.65 | -98 |
| 5--88 | 1+35E | 146.3 | 146.6 | 0.3 | 74.32 | -124 |
| 6--88 | 1+50E | NSV - Diabase Dike | | | | -146 |
| 53-88 | 0+25E | 242.8 | 246.2 | 3.4 | 16.3 | -226 |
| 54-88 | 1+25E | 197.2 | 199.5 | 2.3 | 16.88 | -183 |
| 58A-88 | 1+50E | 126.1 | 126.4 | 0.3 | 78.42 | -99 |
| 83-88 | 0+25W | 237.5 | 237.9 | 0.4 | 4.49 | -186 |
| 86-88 | 2+00E | 156.7 | 157.2 | 0.5 | 42.57 | -128 |
| 89-88 | 2+00E | 215.7 | 216.3 | 0.6 | 0.89 | -171 |
| 156-92 | 0+50E | 63.9 | 64.2 | 0.3 | 0.86 | -61 |
| 161-92 | 1+50E | 64.9 | 65.6 | 0.7 | 1.2 | -50 |
| 164-93 | 0+50E | 91.5 | 91.9 | 0.4 | 7.33 | -90 |
| 2005-5 | 1+00E | 232.3 | 233.8 | 1.5 | 30.24 | -204 |
| 2005-6 | 1+00E | | NSV | | | -229 |
| 2005-7 | 1+00E | 217.7 | 218 | 0.3 | 25.17 | -186 |
| 2006-1 | 1+50E | | NSV | | | -210 |
| 2006-2 | 1+50E | | NSV | | | -240 |
| 2006-3 | 0+50E | 291.4 | 291.8 | 0.4 | 1.34 | -262 |
| 2006-4 | 3+00E | 270 | 271.3 | 1.3 | 3.14 | -250 |
| 2006-5 | 2+00E | 243.7 | 244.6 | 0.9 | 11.13 | -221 |
| 2007-1 | 4+00E | | NSV | | | -221 |
| 2007-2 | 5+00E | | NSV | | | -240 |



Complete List of Historical Intersections for Identified Zones

On the Strike Minerals Edwards Property

New North II Zone

| Hole | Section | From (m) | To (m) | Length (m) | Au (gpt) | Vert. Depth (m) |
|--------|---------|----------|--------|------------|----------|-----------------|
| 53-88 | 0+00 | 348 | 348.3 | 0.3 | 52.95 | -322 |
| 54-88 | 1+50E | 284.1 | 286.8 | 2.7 | 3.7 | -262 |
| 83-92 | 0+25W | 279.6 | 280.8 | 1.2 | 15.68 | -220 |
| 84-92 | 0+50E | 264.9 | 267.1 | 2.2 | 113.8 | -210 |
| 86-88 | 2+00E | 234.3 | 234.8 | 0.5 | 0.93 | -189 |
| 89-88 | 2+00E | 313.7 | 316.2 | 2.5 | 1.4 | -250 |
| 100-89 | 0+50W | 85.2 | 85.5 | 0.3 | 201.88 | -76 |
| 110-90 | 0+00 | | NSV | | | -140 |
| 112-90 | 1+25E | | NSV | | | -122 |
| 155-92 | 1+00W | 169.8 | 170.1 | 0.3 | 0.92 | -159 |
| 156-92 | 0+50E | 97.6 | 99.7 | 2.1 | 88.6 | -92 |
| 161-92 | 1+50E | 128.9 | 129.2 | 0.3 | 3.46 | -110 |
| 164-93 | 0+50E | | NSV | | | -152 |
| 165-93 | 0+00 | 205.2 | 205.5 | 0.3 | 2.3 | -177 |
| 2002-1 | 0+50E | | NSV | | | -241 |
| 2002-1 | 0+50E | 266.6 | 267.2 | 0.6 | 1.62 | -230 |
| 2003-2 | 2+25E | 336.9 | 337.2 | 0.3 | 132.15 | -293 |
| 2005-5 | 1+00E | 310.4 | 310.7 | 0.3 | 17.43 | -265 |
| 2005-6 | 1+00E | 352.9 | 353.8 | 0.9 | 1.3 | -320 |
| 2005-7 | 1+00E | | NSV | | | -244 |
| 2006-1 | 1+50E | 330.5 | 330.8 | 0.3 | 0.92 | -287 |
| | | 377.7 | 378.5 | 0.8 | 6.98 | -348 |
| 2006-4 | 3+00E | | NSV | | | -280 |
| 2006-5 | 2+00E | 348.9 | 349.5 | 0.6 | 7.4 | -312 |
| 2007-1 | 4+00E | 286.1 | 288 | 1.9 | 3.05 | -262 |
| 2007-2 | 5+00E | | NSV | | | -305 |



Complete List of Historical Intersections for Identified Zones

On the Strike Minerals Edwards Property

Plowman 1 Zone

| Hole | Section | From (m) | To (m) | Length (m) | Au (gpt) | Vert. Depth (m) |
|---------|---------|----------|--------|------------|----------|-----------------|
| 96-02 | 6+00E | 166.8 | 167.1 | 0.3 | 27.5 | -35 |
| 96-13 | 4+50E | 120.43 | 120.73 | 0.3 | 55.03 | -86.9 |
| 96-14 | 6+90E | 60.98 | 61.59 | 0.6 | 1.03 | -46 |
| 96-16 | 4+50E | | NSV | | | -40 |
| 96-17 | 5+00E | | NSV | | | -24 |
| 96-18 | 4+00E | 48.48 | 49.09 | 0.6 | 5.48 | -34 |
| 96-19 | 5+00E | 122.13 | 122.62 | 0.5 | 76.37 | -87 |
| P-01-02 | 4+00E | 129.4 | 130 | 0.6 | 15.75 | -106.7 |
| P-02-02 | 5+00E | 139.6 | 139.9 | 0.3 | 28.77 | -107.6 |
| 2005-1 | 6+00E | 129.42 | 131.71 | 2.3 | 3.49 | -88 |
| 2005-2 | 3+75E | 95.43 | 95.73 | 0.3 | 14.42 | -69 |
| 2005-3 | 3+75E | 127.29 | 127.59 | 0.3 | 8.53 | -110 |

Plowman 2 Zone

| | | | | | | |
|----------|-------|--------|--------|-----|-------|---------|
| 96-02 | 6+00E | 166.8 | 167.1 | 0.3 | 27.64 | -118.9 |
| 96-05 | 9+00E | 58.84 | 59.45 | 0.6 | 3.12 | -128.05 |
| 96-14 | 7+00E | 169.82 | 174.4 | 4.6 | 1.54 | -126.52 |
| CL-07-14 | 5+00E | 235.98 | 238.72 | 2.7 | 5.99 | -192.07 |
| | | 244.21 | 245.12 | 0.9 | 11.88 | -198.17 |

Plowman 3 Zone

| | | | | | | |
|--------|--------|-------|-------|-----|-------|-----|
| 96-12 | 9+00E | 74.7 | 76.5 | 1.8 | 4.49 | -50 |
| 96-20 | 10+00E | 58.08 | 59.6 | 1.5 | 1.64 | -40 |
| 96-21 | 8+00E | 54.79 | 55.49 | 0.7 | 31.1 | -37 |
| 96-22 | 9+00E | 99.78 | 99.09 | 0.3 | 2.95 | -87 |
| 2004-1 | 6+50E | 76.16 | 76.52 | 0.4 | 11.61 | -53 |
| 2005-4 | 7+40E | 13.87 | 14.18 | 0.3 | 33.8 | -12 |

